## **CLAIMS**

We claim:

10

20

1. A method of isolating a microbial species from a source environment, 5 comprising:

gathering at least one microorganism from the source environment; providing a volume of culture medium to the microorganism in at least one microtiter plate compartment;

incubating the microorganism in the medium for a period of time and in an environment sufficient to result in growth of the microorganism if the medium and environment are capable of supporting such growth; and

detecting growth of the microorganism.

- 2. The method of claim 1, wherein a plurality of individual microorganisms are separately incubated in microtiter plate compartments.
  - 3. The method of claim 2, wherein the plurality is at least 20.
  - 4. The method of claim 2, wherein the plurality is at least 50.

5. The method of claim 2, wherein the plurality is at least 100.

- 6. The method of claim 2, wherein the plurality is at least 400.
- The method of claim 2, wherein the plurality is at least 1000.
  - 8. The method of claim 2, wherein the plurality is at least 1500.
- 9. A method of identifying at least one microbial species from a source 30 environment, comprising:

isolating at least one microbial species as in claim 1; and identifying the at least one microbial species.

10. The method of claim 1, wherein the microorganism is a previously uncultured microorganism.

10

25

- 11. The method of claim 1, wherein the source environment is a non-laboratory environment.
- 5 12. The method of claim 1, wherein the source environment is a natural environment.
  - 13. The method of claim 1, wherein more than one microorganism is gathered from the source environment.
  - 14. The method of claim 13, wherein each organism is provided a volume of medium in a separate compartment.
- 15. The method of claim 14, wherein the volume of medium is no greater than about 1 m/L.
  - 16. The method of claim 14, wherein the organisms are placed in the separate compartments using flow cytometry, cell sorting, or dilution.
- 20 17. The method of claim 1, further comprising identifying or counting at least one microorganism that grew.
  - 18. The method of claim 17, wherein identifying the microorganism includes hybridization of a probe to a nucleic acid molecule of the microorganism.
  - 19. The method of claim 17, wherein identifying the microorganism includes amplification of a nucleic acid molecule of the microorganism.
- 20. The method of claim 17, wherein identifying the microorganism 30 includes immunodetection of a molecule of the microorganism.
  - 21. The method of claim 17, wherein identifying the microorganism includes sequencing of a nucleic acid molecule of the microorganism.

10

15

- The method of claim 1, wherein detecting growth of the microorganism 22. is automated.
- The method of claim 17, wherein identification of the microorganism is 23. 5 automated.
  - The method of claim 17, wherein identifying or counting a 24. microorganism comprises depositing cells in a two-dimensional array, such that different cultures arising from different cells each occupy a unique position in the array.
  - The method of claim 17, wherein identifying or counting a 25. microorganism comprises use of a technique that reveals a genetic or enzymatic property of the microorganisms.
  - The method of claim 17, wherein a cultured strain of bacteria, called a 26. reporter strain, is added to the medium with an unknown cell from nature, such that production of at least one compound by the unknown cell is revealed by a growth or genetic responses of the reporter strain.

er in Englisher LA SIMPLE